



6 Line Standard Duty Locksets

- Standard 2 3/8" or 2 3/4" backset fits Federal Specification Series 160 & ANSI A115.3 cutouts
- Conforms to Federal Spec. FF-H-106, Series 160 & ANSI A156.2, Series 4000 Grade 2

Mfg. #	B.S.	Kwy.	EZ #	Mfg. #	B.S.	EZ #
Entrance				Privacy		
SA24 6G05OB10B LA	2 3/4"	LA	027401	SA2428 6U65OB10B	2 3/4"	062150
SA24 6G05OB26D LA	2 3/4"	LA	011961	SA2428 6U65OB26D	2 3/4"	062146
SA6G05OB10B LA			2 3/8"	Passage		
SA6G05OB10B LA	2 3/8"	LA	041945	SA2428 6U15OB10B	2 3/4"	062149
SA6G05OB26D LA	2 3/8"	LA	043134	Classroom		
SA6G05OB26 LC	2 3/8"	-	080939	SA6G37OB10B	2 3/8"	069510
Storeroom				SA6G37OB26D	2 3/8"	069509
SA6G04OB10B LA	2 3/8"	LA	062148	<i>LC = Less Cylinder 28 = ANSI Strike 24 = 2 3/4" B.S.</i>		
SA6G04OB26D LA	2 3/8"	LA	041926			



OB Knob Design

Replacement Deadlatches

Mfg #	BS	EZ #
SA06 5083 10B	2 3/8"	041948
SA06 5083 26D	2 3/8"	012124
SA06 5094 10B	2 3/4"	041949
SA06 5094 26D	2 3/4"	012126

8 Line Heavy Duty Locksets

- 2 3/4" backset • U. L. Listed for use on fire doors • ANSI A156.2, Series 4000 Grade 1 • Universal, Non handed

Mfg. #	EZ #	Mfg. #	EZ #	Mfg. #	EZ #
Entrance		Storeroom		Passage	
SA8G05OB10B LC	077440	SA8G04OB626 LC	077437	SA8U15OB10B	077442
SA8G05OB626 LC	077436	SA8G05OB 26D LA	029160	SA8U15OB626	077438
SA8G04OB 26D LA	011984	Privacy			
Storeroom		SA8U65OB10B	077443		
SA8G04OB10B LC	077441	SA8U65OB626	077439		



LC = Less Cylinder

10 - Line Grade 1 Levers

- Heavy duty key-in-lever lockset designed to exceed the requirements of ANSI A156.2, Series 4000
- Reversible, supplied right hand standard • 2 3/4" BS with curved lip strike • U. L. listed for use on fire doors

Mfg. #	Function	EZ #	Mfg. #	Function	EZ #
SA10U15 LB 26D	Passage	071298	SA10G05 LL 26D	Entry/Office	069496
SA10U15 LL 26	Passage	069504	SA10G37 LL 10B	Classroom	069500
SA10U15 LL 10B	Passage	069503	SA10G37 LL 26	Classroom	069501
SA10U15 LL 26D	Passage	069502	SA10G37 LL 26D	Classroom	069499
SA10U65 LB 26D	Privacy	071296	SA10G04 LB 26D	Storeroom	071297
SA10U65 LL 10B	Privacy	069506	SA10G04 LL 10B	Storeroom	069494
SA10U65 LL 26	Privacy	069507	SA10G04 LL 26	Storeroom	069495
SA10U65 LL 26D	Privacy	069505	SA10G04 LL 26D	Storeroom	069493
SA10G05 LL 10B	Entry/Office	069497	SA10G04 LL 26D LC	Storeroom	080339
SA10G05 LL 26	Entry/Office	069498	<i>LC = Less Cylinder</i>		



LL Design

2 3/4" Deadlatches For 10 Line

Mfg. # SA10 2000 10B	EZ # 069569
Mfg. # SA10 2000 26D	EZ # 069544

6, 10, 11 & 65 Line Key-N-Knob Cylinder Plugs

Mfg #	Kwy	EZ #	Mfg #	Kwy	EZ #	Mfg #	Kwy	EZ #	Mfg #	Kwy	EZ #
Satin Brass Plated Finish			Satin Brass Plated Finish			Satin Nickel Finish			Satin Nickel Finish		
SA13 3142 4LB	LB	069527	SA13 3142 4RE	RE	069538	SA13 3142 15HE	HE	082858	SA13 3142 15LL	LL	029125
SA13 3142 4LC	LC	069528	SA13 3142 4RF	RF	069539	SA13 3142 15HF	HF	082859	SA13 3142 15RA	RA	012048
SA13 3142 4LE	LE	069529	SA13 3142 4RG	RG	069540	SA13 3142 15HG	HG	082860	SA13 3142 15RB	RB	012049
SA13 3142 4LF	LF	069530	SA13 3142 4RJ	RJ	069541	SA13 3142 15LA	LA	012040	SA13 3142 15RC	RC	012050
SA13 3142 4LG	LG	069531	SA13 3142 4RK	RK	069542	SA13 3142 15LB	LB	012041	SA13 3142 15RE	RE	012051
SA13 3142 4LJ	LJ	069532	SA13 3142 4RL	RL	069543	SA13 3142 15LC	LC	012042	SA13 3142 15RF	RF	012052
SA13 3142 4LK	LK	069533	Satin Nickel Finish			SA13 3142 15LE	LE	012043	SA13 3142 15RG	RG	012053
SA13 3142 4LL	LL	069534	SA13 3142 15CA	CA	064107	SA13 3142 15LF	LF	012044	SA13 3142 15RJ	RJ	012054
SA13 3142 4RA	RA	069535	SA13 3142 15HA	HA	082855	SA13 3142 15LG	LG	012045	SA13 3142 15RK	RK	012055
SA13 3142 4RB	RB	069536	SA13 3142 15HB	HB	082856	SA13 3142 15LJ	LJ	012046	SA13 3142 15RL	RL	012056
SA13 3142 4RC	RC	069537	SA13 3142 15HC	HC	082857	SA13 3142 15LK	LK	012047	SA13 3142 15S	S	012057

6500 - Line Grade 2 Lever Locks

- Standard duty key-in-lever lockset designed to exceed the requirements of ANSI A156.2, Series 4000
- Universal, not handed • 2 3/4" BS with curved lip strike • U. L. listed for use on fire doors

Mfg. #	Function	EZ #
SA65U15KL26D	Passage	064116
SA65U65KL26D	Privacy	064117
SA65G05KL26D	Entry/Office	064115
SA65G04KL26	Storeroom	084249
SA65G04KL26D	Storeroom	064114
SA65G37KL26D	Classroom	069508

Deadlatches For 6500 Line

Mfg. #	Size	EZ #
SA05 2182 26D	2 3/4"	069545
SA05 2184 26D	2 3/8"	069515



KL Design

T-Zone Lockset

- Unequalled strength and durability from unique construction • Standard 2 3/4" backset • Eliminates lever sag even after 2 mil. cycles
- 2400 lbs. of torque resistance - 2.5 time ANSI Grade 1 requirements • Only 45° lever rotation required to retract latch

Mfg. #	Function	EZ #	Mfg. #	Function	EZ #
SA11G04LL26D	Storeroom	075530	SA28 11G05LL26D	Entry	074870
SA11G05LL26D	Entry	075531	SA28 11G17LL 26D	Institutional	082853
SA11G37LL26D	Classroom	075532	SA28 11G30LL 26D	Communicating	082854
SA28 70 11G04LL26D	Storeroom IC	076647	SA28 11U15LL26D	Passage	074872
SA28 70 11G05LL26D	Entry IC	076648	SA28 11G37LL26D	Classroom	074871
SA28 70 11G37LL26D	Classroom IC	076649	SA28 11U65LL26D	Privacy	074873
SA28 11G04LL26D	Storeroom	074869	SA28 30 11G04LL26D	Storeroom KIK	075387
28 = ANSI Strike	30 = Accepts Schlage cylinder		SA28 30 11G05LL26D	Entry KIK	075386
			SA28 30 11G37LL26D	Classroom KIK	075388



LL Design

Accessories

Mfg. #	Desc.	EZ #
SA800 32D	T Strike	082870
SA28 808 32D	ASA Strike	082871
SA01 1472	Allen type set screw	082864
SA11 2009 26D	Locking sleeve assy - 04, 05, 16, 24, 44 functions, outside	082861
SA11 2011	Locking sleeve assy - 16, 38 functions, inside	082865
SA11 2153	Non-Locking sleeve assy - 15, 15-3, 37 functions, inside - 15 function, outside	082866
SA11 2151 26D	Non-Locking sleeve assy - 04, 13, 50 functions, inside	082862
SA11 2152 26D	Non-Locking sleeve assy - 05, 24, functions, inside	082863

470 Series Deadbolts

- 2 3/8" or 2 3/4" adj. backset • Grade 2 ANSI 156.5 1000 series

Mfg. #	Function	EZ #
SA474 26D LA	Dbl Cyl	073419
SA474 10B LA	Dbl Cyl	073420
SA475 26D LA	Sgl Cyl	073421
SA475 10B LA	Sgl Cyl	073422



Inside turn lever

758 Padlock

- 1" shackle standard • Brass finish
- Stainless steel shackle • Key capture standard
- Key removable in locked position only
- Cylinder 10 line standard - 2 keys per padlock

Mfg # SA758 EZ # 077444



8800 Series Exit Device

- For wood or metal doors 1 3/4" thick standard • Meets ANSI standard 156.3, Grade 1 • 641 Standard Strike
- High impact resistant Lexan touchpad on rail assembly • UL Listed • 5 year warranty

Mfg. #	Desc / Function	EZ #
SA8804PTB 32D	Exit with night latch	076084
SA8810EO 32D	Exit only panic	074508
SA8810PTB 32D	Exit with dummy trim	076083
SA8888F 32D	Reversible exit device	065089
SA812PTB DT 26D	Dummy trim	074509
SA812PTB 26D	Key retracts latchbolt	074510



PTB Trim



1 1/8" Mortise Cylinder Plugs

Mfg #	Fin	Kwy	EZ #	Mfg #	Fin	Kwy	EZ #	Mfg #	Fin	Kwy	EZ #
SA13 0401 4LB	4	LB	069517	SA13 0401 4RG	4	RG	069579	SA13 0401 15RB	15	RB	012091
SA13 0401 4LC	4	LC	069518	SA13 0401 4RJ	4	RJ	069580	SA13 0401 15RC	15	RC	012092
SA13 0401 4LE	4	LE	069519	SA13 0401 4RK	4	RK	069581	SA13 0401 15RE	15	RE	012093
SA13 0401 4LF	4	LF	069520	SA13 0401 4RL	4	RL	069582	SA13 0401 15RF	15	RF	012094
SA13 0401 4LG	4	LG	069521	SA13 0401 15CA	15	CA	064109	SA13 0401 15RG	15	RG	012095
SA13 0401 4LJ	4	LJ	069522	SA13 0401 15LB	15	LB	012081	SA13 0401 15RJ	15	RJ	012096
SA13 0401 4LK	4	LK	069523	SA13 0401 15LC	15	LC	012082	SA13 0401 15RK	15	RK	012097
SA13 0401 4LL	4	LL	069524	SA13 0401 15LE	15	LE	012083	SA13 0401 15RL	15	RL	029148
SA13 0401 4RA	4	RA	069525	SA13 0401 15LF	15	LF	012084	<i>4 - Satin Brass 15 - Satin Nickel Plated</i>			
SA13 0401 4RB	4	RB	069575	SA13 0401 15LG	15	LG	012085	Misc. Parts			
SA13 0401 4RC	4	RC	069576	SA13 0401 15LJ	15	LJ	012086	<u>Mfg #</u>	<u>Desc.</u>	<u>EZ #</u>	
SA13 0401 4RE	4	RE	069577	SA13 0401 15LK	15	LK	012087	SA13 0512	Adams Rite Cam	069514	
SA13 0401 4RF	4	RF	069578	SA13 0401 15LL	15	LL	000469	SA6042 26D	I/C Mort Cylinder Housing	030072	
				SA13 0401 15RA	15	RA	012090				

Mortise / Rim Cylinders

Mfg #	Kwy	Fin	EZ #
SA41 3 LA	LA	3	069513
SA41 10B LA	LA	10B	069512
SA41 26 LA	LA	26	074989
SA41 26D LA	LA	26D	012077
SA41 26D S	S	26D	012079
SA34 10B LA	LA	10B	069511
SA34 26D LA	LA	26D	012061



34 Series Plugs

Mfg #	Fin	Kwy	EZ #
SA13 0090 15LB	15	LB	029150
SA13 0090 15LC	15	LC	029151
SA13 0090 15LE	15	LE	029152
SA13 0090 15LF	15	LF	029153
SA13 0090 15LG	15	LG	012066
SA13 0090 15LJ	15	LJ	069526
SA13 0090 15LK	15	LK	029154
SA13 0090 15LL	15	LL	012067
SA13 0090 15RA	15	RA	012068
SA13 0090 15RB	15	RB	012069
SA13 0090 15RC	15	RC	029155
SA13 0090 15RE	15	RE	012070
SA13 0090 15RF	15	RF	012071
SA13 0090 15RG	15	RG	012072
SA13 0090 15RJ	15	RJ	029156
SA13 0090 15RK	15	RK	029157
SA13 0090 15RL	15	RL	012073

15 - Satin Nickel Plated

Uncombined Removable Core
 Mfg # SA65 6300HA15
 Keyway: HA
 EZ # 069516
 Mfg # SA65 6300LA15
 Keyway: LA
 EZ # 069546



KIK Cylinder

Mfg #	Desc	EZ #
SA13 3127 15LA	Cyl. assy. f/6 line	069548
SA13 3266 15LA	Cyl. assy. f/65,7,10,11 line	069547

Spindle

Mfg #	Desc	EZ #
SA578 2	Outside threaded spindle	064967
SA579 2	Split spindle non-threaded	064968

Original Key Blanks

Mfg. #	Pins	EZ #	Mfg. #	Pins	EZ #	Mfg. #	Pins	EZ #	Mfg. #	Pins	EZ #
SA265U	5	011841	SA275RC	5	011874	SA6270LDH	6	011907	SA6275HB	6	028783
SA270LN	5	011848	SA275RE	5	011875	SA6270LDM	6	076948	SA6275HC	6	028784
SA270RN	5	011855	SA275RG	5	011877	SA6270LH	6	011909	SA6275HF	6	027417
SA273CN	5	041950	SA275RJ	5	011878	SA6270LHM	6	076947	SA6275HJ	6	028786
SANS275LA	5	027413	SA275S	5	011881	SA6270LM	6	011911	SA6275HK	6	028787
SA275LB	5	027414	SA6265U	6	011905	SA6270LN	6	011912	SA6275HL	6	028788
SA275LC	5	027415	SA6270HH	6	076942	SA6270RD	6	011913	SANS6275LA	6	027418
SA275LE	5	011866	SA6270HHM	6	076945	SA6270RDH	6	076938	SANS6275LB	6	027419
SA275LF	5	011867	SA6270HD	6	028789	SA6270RDM	6	076940	SANS6275LC	6	027420
SA275LG	5	011868	SA6270HDH	6	076943	SA6270RH	6	011916	SA6275LE	6	011928
SA275LJ	5	011869	SA6270HDM	6	076946	SA6270RHM	6	076939	SA6275LF	6	011929
SA275LK	5	011870	SA6270HG	6	076941	SA6270RM	6	011918	SA6275LG	6	011930
SA275LL	5	011871	SA6270HM	6	076944	SA6270RN	6	011919	SA6275LJ	6	011931
SA275RA	5	011872	SA6270HN	6	028812	SA6273CN	6	011924	SA6275LK	6	011932
SA275RB	5	011873	SA6270LD	6	011906	SA6275HA	6	028782	SA6275LL	6	011933

Keypad Mortise Locks

- 3/4" stainless steel, antifriction reversible latchbolt • Operates with 4 "C" batteries (included)
- Low battery indicator • 100 user codes - over 1,100,000 possible user combinations

Mfg. #	Desc.	EZ #
SAKP8276LJ 26D	Entry Mort Lock w/cyl override	074247
SAKP8276LL26D	Entry Mort Lock w/cyl override	075519
SAKP8276LNL26D	Entry Mort Lock w/cyl override	082868
SAKP8278LNL26D	Entry Mort Lock w/cyl less deadbolt	082869
SAKP10G77LJ 26D	10-Line Keypad Lock	074248
SAKP10G77LL26DLA	10-Line Keypad Lock	075518
SAKP70-10G77LL26D	10-Line Keypad Lock - I/C	074316



Mortise Deadbolt

- Furnished standard for 1 3/8" thick doors • 2 3/8" backset
- Brass bolt 1" throw with hardened steel rollers standard
- Heavy wrought steel case • Non-handed • UL/cUL listed for use on fire doors
- 4874: Deadbolt operated from either side by key. Use on rooms with more than one exit.



Mfg # SA4874LC 26D EZ # 085247



281 Door Closer

- ANSI/BHMA Grade 1 • Versatile mounting application
- UL and cUL listed for use on fire doors • Meets ADA requirements
- Adjustable spring power allows a size range of 1 through 6


Mfg # SA281UO EN EZ # 072842 UO = Universal Arm, EN = Aluminum Enamel finish



1431 Door Closer

- Adjustable spring power, from size 1 through 4 • Non corrosive high impact cover, flame retardant.
- Full rack and pinion provides control from the full open position • Meets ADA requirements

Mfg # SA1431 UO EZ # 073344 Mfg # SA1431UO EB EZ # 080303 UO = Universal Arm EB= Reversible





Key Blanks • Parts


8200 Series Mortise Locksets

- Lock body conforms to Federal Spec. FF-H-106 Type 86; and ANSI A156.13, Series 1000
- For Doors 1 3/4" thick standard, 2 3/4" backset • Armored Front: 8" x 11/4", ANSI Standard A115.1
- Latch Bolt: Brass 5/8" throw; with nylon anti-friction insert • Handed: May be reversed
- Dead Bolt: Brass. 1" throw with hardened steel rollers • Case: Wrought steel, zinc dichromate finish

8204 Storeroom Function

- Guard bolt deadlocks latchbolt • Outside lever rigid at all times
- Latchbolt retracted by lever inside or key outside

Mfg # SALC8204 LNB 10B RH	EZ # 074943	
Mfg # SALC8204 LNB 26 RH	EZ # 074990	
Mfg # SALC8204 LNB 26D RH	EZ # 074918	
Mfg # SALC8204 LNJ 26D RH	EZ # 074919	
Mfg # SALC8204 LNL 26D RH	EZ # 070709	
Mfg # SALC8204 LNP 26D RH	EZ # 074533	
Mfg # SALC8204 LW1L 26D	EZ # 077384	
Mfg # SATR8204LW 1L26D RH	EZ # 074500	(trim pack)
Mfg # SA8204 26D	EZ # 082839	(body only)




8204

8205 Office Function

- Guard bolt deadlocks latch bolt
- Latch bolt retracted by either lever unless outside lever is locked by toggle in lock front
- Key outside retracts latch bolt when outside lever is locked

Mfg # SALC8205 LNB 10B RH	EZ # 074920	
Mfg # SALC8205 LNB 26 RH	EZ # 074921	
Mfg # SALC8205 LNB 26D RH	EZ # 074942	
Mfg # SALC8205 LNJ 26D RH	EZ # 074944	
Mfg # SALC8205 LW1L 26D	EZ # 077383	
Mfg # SA8205 26D	EZ # 072649	(body only)




8205

8237 Classroom Lock

- Guard bolt deadlocks latch bolt. • Inside lever always operative
- Latch bolt retracted by either lever unless outside lever is locked by key
- Key outside locks or unlocks outside lever
- Latchbolt can be retracted by key in locked position

Mfg # SALC8237 LNB 10B RH	EZ # 074945	
Mfg # SALC8237 LNB 26 RH	EZ # 074946	
Mfg # SALC8237 LNB 26D RH	EZ # 074947	
Mfg # SALC8237 LNJ 26D RH	EZ # 074941	
Mfg # SALC8237 LNL 26D	EZ # 078125	
Mfg # SALC8237 LW1L 26D	EZ # 077385	
Mfg # SA8237 26D	EZ # 082838	(body only)



8237

8215 Passage

- Latch bolt retracted by either lever

Mfg # SA8215 LNB 10B RH	EZ # 069487
Mfg # SA8215 LNB 26 RH	EZ # 069488
Mfg # SA8215 LNB 26D RH	EZ # 064105
Mfg # SA8215 LNJ 26D RH	EZ # 069489
Mfg # SA8215 LNL 26D RH	EZ # 063995
Mfg # SA8215 LNP 26D RH	EZ # 074534




8215

8245 Dwelling Entrance Lock

- Latch bolt retracted by either lever, unless outside lever is locked by toggle in lock front.
- Deadbolt operated by key outside, turn lever inside.
- Key outside retracts both latchbolt and deadbolt.
- When deadbolt is projected, outside lever is automatically locked
- Operating inside lever automatically retracts latchbolt and deadbolt with outside lever remaining locked

Mfg # SALC8245 LNB 10B RH	EZ # 074948
Mfg # SALC8245 LNB 26 RH	EZ # 074949
Mfg # SALC8245 LNB 26D RH	EZ # 074950
Mfg # SALC8245 LNJ 26D RH	EZ # 074951
Mfg # SALC8245 LNL 26D RH	EZ # 063994




8245

8265 Bathroom Function

- Latch bolt retracted by either lever.
- Turn lever automatically locks outside lever.
- Operating inside lever automatically retracts latch bolt unlocking outside lever.
- Outside emergency release unlocks outside lever.

Mfg # SA8265 LNB 10B RH	EZ # 069490
Mfg # SA8265 LNB 26 RH	EZ # 069491
Mfg # SA8265 LNB 26D RH	EZ # 064106
Mfg # SA8265 LNJ 26D RH	EZ # 069492
Mfg # SA8265 LNL 26D RH	EZ # 063996
Mfg # SA8265 LNP 26D RH	EZ # 074532



8265

LC = Less Cylinder



LW1L



LNJ



LNL



LNP



LNB