



# Push Button Locks

## Push Button Lever Locks



### LP1000 Series Exit Device Controls

- Complies with ADA standards • Weather resistant; all-metal construction, ideal for use outdoors
- Exit device can have up to 60° rotation • Cast front housing with fixed lever and brass mounting plate.
- Includes a 2 3/4" long tailpiece to operate exit device from the outside • Designed for high-frequency use

Mfg. #	Fin.	Hand	Key Override	EZ #
SILLP1020B 26D 41	26D	L/LHR	Best Type I/C	013226
SILRP1020B 26D 41	26D	R/RHR	Best Type I/C	013227
SILLP1020S 26D 41	26D	L/LHR	Schlage I/C	067032
SILRP1020S 26D 41	26D	R/RHR	Schlage I/C	067028

R/RHR shown



### 2000-15 Access Control for Rim Exit Devices

Equipped with a 2 3/4" long adjustable connecting bar to operate surface mounted panic devices from the outside. It is designed to operate with devices that open with a maximum 90° clockwise rotation of the key cylinder, including many popular devices (consult the Simplex catalog or call one of our customer service reps for specific mfg/model applications).

Mfg. # SI2000 15 26D41 EZ # 013278



### Series 3000 For Narrow Stile Lock

Operates with Adams Rite 4510 and 4710 latches. As a true Day/Night control, the 3000 integrates with existing key cylinder: as a key bypass for management, to lock out combination codes preventing all entry except by key and to activate the latch hold-back function removing all security from the door. Comes with lock housing and 1 of 4 drive assemblies (sold separately)

Mfg. #	Fin.	EZ #	Mfg. #	Hand	B.S.	EZ #
<i>Lock Housing</i>			<i>Drive Assemblies</i>			
SI3001 55 41	Duro	013293	SI3010 19 41	RH/RHRB	3/32"	013295
SI3001 26D41	26D	013294	SI3020 19 41	LH/LHRB	3/32"	013298
			SI3030 19 41	RH/RHRB	1 1/8"	013301
			SI3040 19 41	LH/LHRB	1 1/8"	013304



### Series 8100 Mortise Lock

Heavy-duty, stand-alone pushbutton lock with three operation functions - lockout, combination and passage. Ideal for security-sensitive locations with high personnel turnover rate or high-frequency use locations. Accepts Best IC core.

Mfg # SIL8148B 26D41 EZ # 071107 (LH) Mfg # SIR8148B 26D41 EZ # 071108 (RH)

Mfg # SILR8148B 26D41 EZ # 071240 (LHR)



### Series 3100 For Narrow Stile Lock

- Retrofits Adams Rite 4510/4710 mortise latch preparation • Exterior access is by combination. • Latch hold back
- Egress is free at all times • Complete lockset – no additional panic device hardware is required
- Mechanical Key Override for emergency or service entrance, accepts MS mortise cylinders

Mfg. #	Backset	EZ #	Mfg. #	Backset	EZ #
SI3112 26D41 RR	3/32"	075961	SI3132 55 41 RR	1 1/8"	075978
SI3112 55 41 RR	3/32"	075976	SI3132 26D41 RR	1 1/8"	073786
SI3122 55 41 LR	3/32"	075977	SI3142 55 41 LR	1 1/8"	075979
SI3122 26D41 LR	3/32"	075962	SI3142 26D41LR	1 1/8"	073787

55 = Duranodic (695)



### 4000 Series Pushbutton Lock

- Self contained using 4 AA alkaline batteries, no need for hardwiring • 3-hour UL fire rating
- All weather, heavy duty • Meets or exceeds ANSI/BHMA 156.2 Grade 1 compliance • Backset: 2 3/4"
- Replaces cylindrical or mortise locks • Finishes: 26D - Satin silver (ext) / Satin chrome (int)

Mfg. #	Fin.	Hand	Keyway	EZ #
SIL4153B 26D 41	26D	Left	Best	069316






# Push Button Locks

## Push Button Auxiliary Locks

### 7000 Series Auxiliary Locks

Compact, stylish and secure, the 7000 Series provides convenient auxiliary lock protection for residential and commercial applications. Mounts above existing lockset or can be used alone.

Mfg. #	Description	Finish	EZ #
SI7004 03 41	2 3/4" backset, auto relock, 1/2" deadlocking latch	"Chiara" Br. Brass	030160
SI7006 26D 41	2 3/8" backset, auto relock and latch holdback, 5/8" deadlocking latch	Satin Chrome	061844
SI7008 03 41	2 3/8" backset, manual relock, 1" tubular deadbolt	"Chiara" Br. Brass	061845
SI7014 03 41	Adjustable, 2 3/4" - 2 3/8" b.s. 1/2" deadlocking latch, auto relock	"Chiara" Br. Brass	070041
SI7004 26D 41	Adjustable, 2 3/4" - 2 3/8" b.s. 1/2" deadlocking latch, auto relock	Satin Chrome	030161



### "Touch But'n" Medium Duty Door Locks/Access Control

- No keys to issue or control. • Thousands of possible combination options.
- Combination can be changed in just seconds. • Wear-tested for equivalent of 30 years intensive use.
- Completely mechanical – no electrical wiring. • Finishes: Satin Brass (4) & Brushed Chrome (26D)
- Easily installed in wood or metal doors • For right or left hand doors.

Mfg. #	Series	Fin.	Desc.	Door Thick.	EZ #
SI9020000 26D41	DL100	26D	Deadbolt	1 3/8" – 1 1/2"	013255
SI9040000 04 41	DL200	4	Deadbolt	1 3/4" – 2 1/8"	031055
SI9040000 26D41	DL200	26D	Deadbolt	1 3/4" – 2 1/8"	013272
<i>Key Bypass Model</i>					
SI9060000 26D41	DL-M100	26D	Deadbolt w/key override	1 3/8" – 1 1/2"	062467



### Model NL Spring Latch Door Lock

Door locks automatically; opens with finger lever from inside. Thumb slide on inside holds retracted latch bolt in unlocked position. All latch type locks include deadlatching feature that prevents prying the latch back on closed door. Reversible latch bolt. 4"W x 5"H.


Mfg. #	Series	Fin.	Door Thick.	EZ #
SI9170000 26D41	NL100	26D	1 3/8" – 1 1/2"	013256
SI9190000 04 41	NL200	4	1 3/4" – 2 1/8"	013277
SI9190000 26D41	NL200	26D	1 3/4" – 2 1/8"	013276
<i>NL-M - Key Bypass Models</i>				
SI9380000 04 41	NL-M200	4	1 3/4" – 2 1/8"	013275
SI9380000 26D41	NL-M200	26D	1 3/4" – 2 1/8"	013274



### E-Plex 5000 Series

- Combines mechanical pushbutton locks with added security of electronic access control • No wire through the door
- 100 access codes • Extensive audit trail • Programmable passage mode • ANSI/BHMA grade 1 • 3 year warranty

Mfg. #	Kwy	EZ #	Mfg. #	Kwy	EZ #
SIE5031B WL605 41	Best IC	084278	SIE5031XS WL605 41	SC1 KIL	084283
SIE5031B WL626 41	Best IC	084275	SIE5031XS WL626 41	SC1 KIL	084280
SIE5031B WL695	Best IC	084277	SIE5031XS WL695 41	SC1 KIL	084282
SIE5031S WL605 41	Schlage IC	084273	SIE5031R WL605 41	Sargent IC	084268
SIE5031X WL626 41	Schlage IC	084270	SIE5031R WL626 41	Sargent IC	084264
SIE5031S WL695 41	Schlage IC	084272	SIE5031R WL695 41	Sargent IC	084267



### 5000 Series Extra Heavy Duty Primary Lock

- Commercial Grade 1 Certification • Convenient Keyless Security • Key Override • Kaba 90 Keyway
- Non Handed, Can Be Changed In Seconds • Easy To Install: Fewer Parts, Better Fit. • 2-year Warranty

Mfg # SI 5021XK WL26D41 EZ # 076741

# Solitaire 850L - LearnLok



## Accessories & Parts

### Solitaire 850L Series - LearnLok

Stand-alone lock which enrolls users quickly and easily using specially designed function cards. All you have to do to begin enrolling users is swipe the learn card through the reader. Then, just swipe a user card and a user cancel card. If your requirements change and you need a more sophisticated system, LearnLok can be upgraded to full-featured Solitaire 850 or 950 Series systems. Every lock can enroll up to 200 users using LearnLok technology.

**Certifications, Approvals and Testing:**

- Meets UL 10B and ULC S-104, 20 minutes for wood doors and 3-hour fire rating for steel doors
- ADA-compliant lever • ANSI grade 1 A156.13

**Dimensions:**

- Door thickness adaptable from 1 3/8" to 2 1/2", 3/4" latch for ASM, 2 3/4" backset

**Interchangeable Core:**

- Ilco Unican • Best 6 pin or 7 pin (not supplied)

**Power:** 4 standard AA alkaline batteries last up to 80,000 openings or 4 years

**Environmental Operating Conditions:**

Weather resistant; withstands rain, dust and salt



Mfg#	Desc.	EZ #	Mfg#	Desc.	EZ #
IA8515021BLL2 626	Best IC kwy LH	071582	IA064 508674	Programing Module	071587
IA8515021BRL2 626	Best IC kwy RH	071583	IASP850L 2EM	Starter Pack	071584
IA135 509507 FCD	Audit Software	071586	IAUP850L 2	User Pack	071585

Also available in Medeco kwy

**Starter Pack Includes:** Quick reference guide, user log, function cards, user cards & user cancel cards

**User Pack Includes:** 25 user cards

### Accessories and Replacement Parts

For metal door frame installations. Contains surface mounted strike and adjustable shim (3/8" or 1/4") or riser plate to align inside housing to special strike. Standard lock includes both a sheet metal strike for outswing doors and cast box strike for inswing wood frame installation.

Mfg. #	Description	Fin.	EZ #
SI800 04 41	Adapter Kit for 900 Series	4	013224
SI800 26D41	Adapter Kit for 900 Series	26D	013223



Riser plate for 900 series Mfg # SI74468CH EZ # 013241	Inside lever coil return spring for L1000/8100 Mfg # SI201732 000 01LH EZ # 013290	Cylindrical drive unit assembly for 1000 Mfg # SI204202 26D01 EZ # 037178
Surface-mounted cast strike for 900 series Mfg # SI74464 26D EZ # 013269	Fixed sleeve for L1000/8100 Mfg # SI201733 26D01LH EZ # 064128	7004 latch assembly 2 3/4" backset Mfg # SI202003 03 41 EZ # 037233
Surface-mounted cast strike for 900 series Mfg # SI74464 4 EZ # 013270	Fixed sleeve for L1000/8100 Mfg # SI201727 26D01RH EZ # 064127	Trim plate cover 2 1/8" bores for 7000 Mfg # SI24380 03 01 EZ # 060862
Clutch sub-assembly for 1000 series Mfg # SI201430 000 01 EZ # 013285	Clutch cover assembly for L1000/8100 Mfg # SI201780 000 01RH EZ # 064130	Combo chamber for 1000/L1000/3000/8100 Mfg # SI74366 000 01 EZ # 013310
Replacement latch for 1000/L1000 series Mfg # SI201144 26D01 EZ # 013283	Clutch cover assembly for L1000/8100 Mfg # SI201781 000 01LH EZ # 064131	Combo chamber for 2015 Mfg # SI74241 EZ # 061872
Knob return spring for 1000 series Mfg # SI201019 000 01 EZ # 013281	Clutch assembly (RH) for L1000 Mfg # SI201788 000 01 EZ # 060480	Combo chamber for 900 series Mfg # SI74080 000 01 EZ # 013240
Installation Wrench for 1000/L100/8100 Mfg # SI201278 018 01 EZ # 037187	Clutch assembly (LH) for L1000 Mfg # SI201789 000 01 EZ # 046318	
Outside lever ext return spring for L1000/8100 Mfg # SI201762 000 01 EZ # 013291	ASA roller strike for 1000/L1000 Mfg # SI201821 26D41 EZ # 064126	
Inside lever coil return spring for L1000/8100 Mfg # SI201730 000 01RH EZ # 064129	Anti-spy shield for 1000/L1000 Mfg # SI201600 19 41 EZ # 037156	



combo chamber for 900 series



## Accessories & Parts

### Solitaire 850L Series - LearnLok

Stand-alone lock which enrolls users quickly and easily using specially designed function cards. All you have to do to begin enrolling users is swipe the learn card through the reader. Then, just swipe a user card and a user cancel card. If your requirements change and you need a more sophisticated system, LearnLok can be upgraded to full-featured Solitaire 850 or 950 Series systems. Every lock can enroll up to 200 users using LearnLok technology.

**Certifications, Approvals and Testing:**

- Meets UL 10B and ULC S-104, 20 minutes for wood doors and 3-hour fire rating for steel doors
- ADA-compliant lever • ANSI grade 1 A156.13

**Dimensions:**

- Door thickness adaptable from 1 3/8" to 2 1/2", 3/4" latch for ASM, 2 3/4" backset

**Interchangeable Core:**

- Ilco Unican • Best 6 pin or 7 pin (not supplied)

**Power:** 4 standard AA alkaline batteries last up to 80,000 openings or 4 years

**Environmental Operating Conditions:**

Weather resistant; withstands rain, dust and salt



Mfg#	Desc.	EZ #	Mfg#	Desc.	EZ #
IA8515021BLL2 626	Best IC kwy LH	071582	IA064 508674	Programing Module	071587
IA8515021BRL2 626	Best IC kwy RH	071583	IASP850L 2EM	Starter Pack	071584
IA135 509507 FCD	Audit Software	071586	IAUP850L 2	User Pack	071585

Also available in Medeco kwy

**Starter Pack Includes:** Quick reference guide, user log, function cards, user cards & user cancel cards

**User Pack Includes:** 25 user cards

### Accessories and Replacement Parts

For metal door frame installations. Contains surface mounted strike and adjustable shim (3/8" or 1/4") or riser plate to align inside housing to special strike. Standard lock includes both a sheet metal strike for outswing doors and cast box strike for inswing wood frame installation.



Mfg. #	Description	Fin.	EZ #
SI800 04 41	Adapter Kit for 900 Series	4	013224
SI800 26D41	Adapter Kit for 900 Series	26D	013223

**Riser plate for 900 series**

Mfg # SI74468CH EZ # 013241

**Fixed sleeve for L1000/8100**

Mfg # SI201733 26D01LH EZ # 064128

**Cylindrical drive unit assembly for 1000**

Mfg # SI204202 26D01 EZ # 037178

**Surface-mounted cast strike for 900 series**

Mfg # SI74464 26D EZ # 013269

**Fixed sleeve for L1000/8100**

Mfg # SI201727 26D01RH EZ # 064127

**7004 latch assembly 2 3/4" backset**

Mfg # SI202003 03 41 EZ # 037233

**Surface-mounted cast strike for 900 series**

Mfg # SI74464 4 EZ # 013270

**Clutch cover assembly for L1000/8100**

Mfg # SI201780 000 01RH EZ # 064130

**Mfg # SI202003 26D 41 EZ # 067227**

**Clutch sub-assembly for 1000 series**

Mfg # SI201430 000 01 EZ # 013285

**Clutch cover assembly for L1000/8100**

Mfg # SI201781 000 01LH EZ # 064131

**Trim plate cover 2 1/8" bores for 7000**

Mfg # SI24380 03 01 EZ # 060862

**Replacement latch for 1000/L1000 series**

Mfg # SI201144 26D01 EZ # 013283

**Clutch assembly (RH) for L1000**

Mfg # SI201788 000 01 EZ # 060480

**Combo chamber for 1000/L1000/3000/8100**

Mfg # SI74366 000 01 EZ # 013310

**Knob return spring for 1000 series**

Mfg # SI201019 000 01 EZ # 013281

**Clutch assembly (LH) for L1000**

Mfg # SI201789 000 01 EZ # 046318

**Combo chamber for 2015**

Mfg # SI74241 EZ # 061872

**Installation Wrench for 1000/L100/8100**

Mfg # SI201278 018 01 EZ # 037187

**ASA roller strike for 1000/L1000**

Mfg # SI201821 26D41 EZ # 064126

**Combo chamber for 900 series**

Mfg # SI74080 000 01 EZ # 013240

**Outside lever ext return spring for L1000/8100**

Mfg # SI201762 000 01 EZ # 013291

**Anti-spy shield for 1000/L1000**

Mfg # SI201600 19 41 EZ # 037156

**Combo chamber for 5000 series**

Mfg # SI74832 00 01 EZ # 084228

**Inside lever coil return spring for L1000/8100**

Mfg # SI201730 000 01RH EZ # 064129

**Service Kit for 1000 LH**

Mfg # SI203038 000 01 EZ # 075502

**Inside lever coil return spring for L1000/8100**

Mfg # SI201732 000 01LH EZ # 013290



combo chamber for 900 series